



Article overview orthopedic modifications to HAIX models to comply with the DGUV regulations 112-191/112-991 (BGR 191) and requirements of ÖNORM Z 1259-2012 and the applicable requirements of Annex A of EN ISO 20345/20347:2022 for Typ 1 and Typ 2

Maximum height increase of the outsole and inlay sole by 25 mm each

Status: 29.06.2026

Art.-No.		Article	Certificate Registration-No.	Outsole Heightening	Certified Inlay Sole Systems	Validity
FIRE	507501	Fire Eagle	PFI 2203497 01 86	No	HAIX CO®, Hartmann	05/2027
	507526	Fire Eagle 2.0	PFI 2203497 01 86	No	HAIX CO®, Hartmann	05/2027
	507504	Fire Eagle High	PFI 2203497 01 86	No	HAIX CO®, Hartmann	05/2027
	507506	Fire Eagle Vario	PFI 2203497 01 86	No	HAIX CO®, Hartmann	05/2027
	507538	Fire Eagle 2.0 Pro	PFI 2401272 01 86	No	HAIX CO®, Hartmann	02/2029
	507540	Fire Eagle 2.0 EXG	PFI 2203497 01 86	No	HAIX CO®, Hartmann	05/2027
	504016	Special Fighter Pro	PFI 2203498 01 86	No	HAIX CO®, Hartmann	05/2027
	111013	Missoula 2.0	PFI 2203497 01 86	No	HAIX CO®, Hartmann	05/2027
	507506	Fire Eagle Vario	PFI 2203497 01 86	No	HAIX CO®, Hartmann	05/2027
	507539	Fire Eagle 2.0 High	PFI 2203497 01 86	No	HAIX CO®, Hartmann	05/2027
	507511	Fire Eagle Pro	PFI 2203498 01 86	No	HAIX CO®, Hartmann	05/2027
	503007	Fire Flash 2.0	PFI 2109190 01 86	Yes	HAIX CO®	10/2026
	501501	Florian Pro	PFI 2109190 01 86	Yes	HAIX CO®	10/2026
	503005	Fire Flash Gamma	PFI 2109191 01 86	Yes	HAIX CO®	10/2026
	503008	Fire Flash Gamma 2.0	PFI 2109191 01 86	Yes	HAIX CO®	10/2026
	501002	Florian Europe	PFI 2105262 01 86	Yes	HAIX CO®	06/2026
	500004	Fireman Yellow	PFI 2105262 01 86	Yes	HAIX CO®	06/2026
	507006	Fire Hero 3.0	PFI 2401556 01 86	No	HAIX CO®	03/2029
	507007	Fire Hero 3.1	PFI 2401556 01 86	No	HAIX CO®	03/2029
	507004	Fire Hero 2	PFI 2104207 01 86	No	HAIX CO®	06/2026
	507601	Fire Eagle 3.0	PFI 2603258 01 86	No	HAIX CO®	05/2031
	507602	Fire Eagle 3.0 EXG	PFI 2603258 01 86	No	HAIX CO®	05/2031
RESCUE/MEDICAL	605117	Airpower XR 1	PFI 2405023 01 86	Yes	HAIX CO®, Hartmann, Winter	06/2029
	605120	Airpower XR 1 Lady	PFI 2405023 01 86	Yes	HAIX CO®, Hartmann, Winter	06/2029
	605207	Airpower XR 91	PFI 2401944 01 86	No	HAIX CO®	02/2029
	620032	Rescue One	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
	620033	Rescue One Ws	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
	620034	Nevada 2.0 Mid	AUVA 2025-6599	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
	620035	Nevada 2.0 Mid Ws	AUVA 2025-6599	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
	620046	Nevada 3.0 Mid	AUVA 2025-6599	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
	620047	Nevada 3.0 Mid Ws	AUVA 2025-6599	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030



Article overview orthopedic modifications to HAIX models to comply with the DGUV regulations 112-191/112-991 (BGR 191) and requirements of ÖNORM Z 1259-2012 and the applicable requirements of Annex A of EN ISO 20345/20347:2022 for Typ 1 and Typ 2

Maximum height increase of the outsole and inlay sole by 25 mm each

Status: 29.06.2026

Art.-No.		Article	Certificate Registration-No.	Outsole Heightening	Certified Inlay Sole Systems	Validity
	620004	Nevada Pro Low	AUVA 2025-6599	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
WORKWEAR	631001	Connexis Safety+ GTX low black-black	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631002	Connexis Safety+ GTX low grey-blue	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631003	Connexis Safety+ GTX low grey-silver	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631004	Connexis Safety+ GTX low Ws grey-silver	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631005	Connexis Safety+ GTX low grey-red	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631006	Connexis Safety+ GTX low grey-orange	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631007	Connexis Safety+ GTX low grey-yellow	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631008	Connexis Safety+ GTX mid black-black	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631009	Connexis Safety+ GTX mid grey-blue	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631010	Connexis Safety+ GTX mid grey-silver	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631011	Connexis Safety+ GTX mid grey-red	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631012	Connexis Safety+ GTX mid grey-orange	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631013	Connexis Safety+ GTX mid grey-yellow	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631014	Connexis Safety+ GTX LTR low black	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631015	Connexis Safety+ T LTR low black	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631016	Connexis Safety+ GTX LTR low coyote	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631017	Connexis Safety+ GTX LTR low brown	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631018	Connexis Safety+ GTX LTR low Ws brown	PFI 2203420 01 86	Yes	HAIX CO®, Hartmann	05/2027
	631019	Connexis Safety+ GTX LTR mid black	PFI 2209473 01 86	Yes	HAIX CO®, Hartmann	10/2027
	631020	Connexis Safety+ GTX LTR mid brown	PFI 2209473 01 86	Yes	HAIX CO®, Hartmann	10/2027
	631021	Connexis Safety+ GTX LTR mid Ws brown	PFI 2209473 01 86	Yes	HAIX CO®, Hartmann	10/2027
	631022	Connexis Safety+ GTX LTR mid coyote	PFI 2209473 01 86	Yes	HAIX CO®, Hartmann	10/2027
604102	Airpower XR 3	PFI 2300068 01 86	Yes	HAIX CO®, Springer, Hartmann, Winter	04/2028	



Article overview orthopedic modifications to HAIX models to comply with the DGUV regulations 112-191/112-991 (BGR 191) and requirements of ÖNORM Z 1259-2012 and the applicable requirements of Annex A of EN ISO 20345/20347:2022 for Typ 1 and Typ 2

Maximum height increase of the outsole and inlay sole by 25 mm each

Status: 29.06.2026

Art.-No.	Article	Certificate Registration-No.	Outsole Heightening	Certified Inlay Sole Systems	Validity
607901	Airpower XR 21	PFI 2405023 01 86	Yes	HAIX CO®, Hartmann, Winter (inserted), 3-Width (extra)	06/2029
607633	Airpower XR 22	PFI 2300068 01 86	Yes	HAIX CO®, Springer, Hartmann, Winter	04/2028
607207	Airpower XR 26	PFI 2300068 01 86	Yes	HAIX CO®, Springer, Hartmann, Winter	04/2028
607208	Airpower XR 26 Ws	PFI 2300068 01 86	Yes	HAIX CO®, Springer, Hartmann, Winter	04/2028
607210	Airpower XR 26 Black	PFI 2300068 01 86	Yes	HAIX CO®, Springer, Hartmann, Winter	04/2028
607212	Airpower XR 810 LTR GTX Black	PFI 2508997 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	12/2030
607213	Airpower XR 810 N GTX brown	PFI 2508997 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	12/2030
602017	Trekker Pro 2.0	PFI 2201157 01 86	Yes	HAIX CO®	06/2027
603013	Climber	PFI 2207211 01 86	No	-	09/2027
604113	Airpower XR 820 LTR GTX	PFI 2508997 01 86	Ja	HAIX CO®, Bauerfeind, Hartmann, Winter	12/2030
630001	Connexis Safety T S1 low grey-citrus	PFI 2400054 01 86	No	HAIX CO®	06/2029
630002	Connexis Safety T S1 low black-blue	PFI 2400054 01 86	No	HAIX CO®	06/2029
630003	Connexis Safety T S1 low grey-red	PFI 2400054 01 86	No	HAIX CO®	06/2029
630005	Connexis Safety T Ws S1 low grey-citrus	PFI 2400052 01 86	No	HAIX CO®	05/2029
630012	Connexis Safety T Ws S1 low grey-atoll	PFI 2400054 01 86	No	HAIX CO®	06/2029
630009	Connexis Safety Air low grey-blue	PFI 2400054 01 86	No	HAIX CO®	06/2029
630004	Connexis Safety T S1P low black-silver	PFI 2400052 01 86	No	HAIX CO®	05/2029
630006	Connexis Safety T Ws S1P low grey-silver	PFI 2400052 01 86	No	HAIX CO®	05/2029
630010	Connexis Safety T S1P low grey-citrus	PFI 2400052 01 86	No	HAIX CO®	05/2029
630011	Connexis Safety T Ws S1P low grey-citrus	PFI 2400052 01 86	No	HAIX CO®	05/2029
630007	Connexis GTX S3 mid grey-citrus	PFI 2400053 01 86	No	HAIX CO®	05/2029
630008	Connexis GTX S3 mid black-silver	PFI 2400053 01 86	No	HAIX CO®	05/2029
610003	Black Eagle Safety 41.1 low black-silver	PFI 2408760 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann	12/2029
610005	Black Eagle Safety 61.1 low	PFI 2408759 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann	12/2029
610042	Black Eagle Safety 40.1 low stone-citrus	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
610009	Black Eagle Safety 40.1 low blue-citrus	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026



Article overview orthopedic modifications to HAIX models to comply with the DGUV regulations 112-191/112-991 (BGR 191) and requirements of ÖNORM Z 1259-2012 and the applicable requirements of Annex A of EN ISO 20345/20347:2022 for Typ 1 and Typ 2

Maximum height increase of the outsole and inlay sole by 25 mm each

Status: 29.06.2026

Art.-No.	Article	Certificate Registration-No.	Outsole Heightening	Certified Inlay Sole Systems	Validity
610001	Black Eagle Safety 40.1 low black-blue	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
610002	Black Eagle Safety 40.1 low black-red	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
610010	Black Eagle Safety 40.1 low black-black	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
610041	Black Eagle Safety 40.1 Ws low grey-mint	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
610015	Black Eagle Safety 40.1 mid black-blue	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
610017	Black Eagle Safety 40.1 mid black-orange	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
610018	Black Eagle Safety 40.1 mid black-red	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
610019	Black Eagle Safety 40.1 mid black-silver	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
610024	Black Eagle Safety 40 mid black-black	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
610045	Black Eagle Safety 400 C GTX grey	PFI 2508153 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
610046	Black Eagle Safety 400 C GTX blue	PFI 2508153 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
610047	Black Eagle Safety 410 C GTX grey	PFI 2508153 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
610048	Black Eagle Safety 410 C GTX blue	PFI 2508153 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
610062	Black Eagle Safety 600 V GTX black	PFI 2508153 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
610063	Black Eagle Safety 610 V GTX black	PFI 2508153 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
610052	Black Eagle Safety 630 LTR GTX black	PFI 2508153 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
610049	Black Eagle Safety 200 M T grey	PFI 2508154 01 86	No	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
610050	Black Eagle Safety 200 M T blue	PFI 2508154 01 86	No	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
610051	Black Eagle Safety 600 LTR GTX black	PFI 2508152 01 86	No	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
610052	Black Eagle Safety 610 LTR GTX black	PFI 2508152 01 86	No	HAIX CO®, Bauerfeind, Hartmann, Winter	10/2030
610064	Black Eagle Safety 610 LTR T black	PFI 2600918 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	03/2031
610065	Black Eagle Safety 610 LTR LL black	PFI 2600918 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	03/2031
620001	Black Eagle Safety 50.1 low	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
620005	Black Eagle Safety 50 mid	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
620010	Black Eagle Safety 50 high	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026



Article overview orthopedic modifications to HAIX models to comply with the DGUV regulations 112-191/112-991 (BGR 191) and requirements of ÖNORM Z 1259-2012 and the applicable requirements of Annex A of EN ISO 20345/20347:2022 for Typ 1 and Typ 2

Maximum height increase of the outsole and inlay sole by 25 mm each

Status: 29.06.2026

Art.-No.		Article	Certificate Registration-No.	Outsole Heightening	Certified Inlay Sole Systems	Validity
	610007	Black Eagle Safety 53 low	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
	610022	Black Eagle Safety 53 mid	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
	610012	Black Eagle Safety 56 low	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
	610030	Black Eagle Safety 56 mid	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
	610033	Black Eagle Safety 56 LL mid	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
	610037	Black Eagle Safety Pro low black- silver	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
	610039	Black Eagle Safety Pro mid black- silver	PFI 2107442 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann, Winter	08/2026
	610008	Black Eagle Safety 54 low	PFI 2400810 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann	06/2029
	610023	Black Eagle Safety 54 mid black-red	PFI 2400810 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann	06/2029
	610031	Black Eagle Safety 54 mid black-orange	PFI 2400810 01 86	Yes	HAIX CO®, Bauerfeind, Hartmann	06/2029
FOREST	603113	Protector Ultra 2.0 GTX lime green	PFI 2105716 01 86	No	HAIX CO®	06/2026
	603112	Protector Forest 2.1 GTX orange	PFI 2205007 01 86	No	HAIX CO®	06/2027
	603115	Protector Forest 2.1 GTX red-yellow	PFI 2205007 01 86	No	HAIX CO®	06/2027
	602301	Protector Alpin	PFI 2208579 01 86	No	HAIX CO®	08/2027
	604111	Protector Light 2.1	PFI 2203248 01 86	No	HAIX CO®	06/2027
	602019	Protector Pro 2.0	PFI 2205124 01 86	No	HAIX CO®	06/2027
	603116	Protector Forest 2.1 GTX mid	PFI 2307147 01 86	No	HAIX CO®	10/2028
	602018	Trekker Mountain 2.0	PFI 2205788 01 86	Yes	HAIX CO®	06/2027
MILITARY	330006	Black Eagle Athletic 2.0 V T mid desert	AUVA 2025-6509	No	HAIX CO®, Winter	01/2030
	330005	Black Eagle Athletic 2.0 V T high desert Sidezipper	AUVA 2025-6509	No	HAIX CO®, Winter	01/2030
	330008	Black Eagle Athletic 2.0 V GTX mid coyote	AUVA 2025-6508	No	HAIX CO®, Winter	01/2030
	330014	Black Eagle Athletic 2.0 N GTX mid brown	AUVA 2025-6506	No	HAIX CO®, Winter	01/2030
	206273	Combat GTX coyote	PFI 2506746-01-86	No	HAIX CO®	09/2030
	214012	Commander GTX	AUVA 2025-6507	No	HAIX CO®, Winter	01/2030
	206506	XVENTURE GTX coyote	AUVA 2022-6229	No	HAIX CO®	09/2027
	203308	Nepal Pro	AUVA 2025-6505	No	HAIX CO®, Winter, 3-Width (extra)	01/2030
POLICE	330041	Black Eagle Athletic 2.1 GTX low black	AUVA 2025-6580	No	HAIX CO®, Winter	08/2030
	330042	Black Eagle Athletic 2.1 GTX	AUVA 2025-6580	No	HAIX CO®, Winter	08/2030



Article overview orthopedic modifications to HAIX models to comply with the DGUV regulations 112-191/112-991 (BGR 191) and requirements of ÖNORM Z 1259-2012 and the applicable requirements of Annex A of EN ISO 20345/20347:2022 for Typ 1 and Typ 2

Maximum height increase of the outsole and inlay sole by 25 mm each

Status: 29.06.2026

Art.-No.	Article	Certificate Registration-No.	Outsole Heightening	Certified Inlay Sole Systems	Validity
	mid black				
330043	Black Eagle Athletic 2.1 GTX high black	AUVA 2025-6580	No	HAIX CO®, Winter	08/2030
331001	Black Eagle Evo Athletic GTX Mid black	AUVA 2025-6598	No	HAIX CO®	10/2030
340028	Black Eagle Tactical 2.1 Pro GTX mid black	AUVA 2024-6464	No	HAIX CO®, Winter	06/2029
340036	Black Eagle Tactical 2.0 WTR GTX high black	AUVA 2026-6629	No	HAIX CO®, Winter (inserted), 3-Width (extra)	03/2031
340001	Black Eagle Tactical 2.1 GTX low black	AUVA 2024-6466	No	HAIX CO®, Winter	06/2029
340002	Black Eagle Tactical 2.0 GTX mid black	AUVA 2024-6466	No	HAIX CO®, Winter	06/2029
340003	Black Eagle Tactical 2.0 GTX high black	AUVA 2024-6466	No	HAIX CO®, Winter	06/2029
330007	Black Eagle Athletic 2.0 V GTX mid black	AUVA 2025-6508	No	HAIX CO®, Winter	01/2030
330015	Black Eagle Athletic 2.0 V GTX high sage	AUVA 2025-6508	No	HAIX CO®, Winter	01/2030
330010	Black Eagle Athletic 2.0 V GTX mid sage	AUVA 2025-6508	No	HAIX CO®, Winter	01/2030
330083	Black Eagle Athletic 2.0 V GTX mid grey	AUVA 2025-6508	No	HAIX CO®, Winter	01/2030
330016	Black Eagle Athletic 2.1 T low black	AUVA 2024-6471	No	HAIX CO®, Winter	08/2029
330004	Black Eagle Athletic 2.0 T high black Sidezipper	AUVA 2024-6471	No	HAIX CO®, Winter	08/2029
340002	Black Eagle Tactical 2.0 GTX mid	AUVA 2024-6466	No	HAIX CO®, Winter	06/2029
340001	Black Eagle Tactical 2.1 GTX Low	AUVA 2024-6466	No	HAIX CO®, Winter	06/2029
341001	Black Eagle Evo Tactical GTX mid	AUVA 2025-6597	No	HAIX CO®	10/2030
350010	Connexis Force Air Navy	Ricotest 196260201/TD	No	HAIX CO®	01/2031
350009	Connexis Force Air Graphite	Ricotest 196260202/TD	No	HAIX CO®	01/2031
350008	Connexis Force Air Graphite Ws	Ricotest 196260202/TD	No	HAIX CO®	01/2031
350011	Connexis Force GTX LTR low	Ricotest 196251301/TD	No	HAIX CO®	03/2030
350013	Connexis Force GTX LTR low Ws	Ricotest 196251301/TD	No	HAIX CO®	03/2030
350014	Connexis Force GTX LTR mid	Ricotest 196251302/TD	No	HAIX CO®	03/2030
350012	Connexis Force GTX LTR mid Ws	Ricotest 196251302/TD	No	HAIX CO®	03/2030
203301	Ranger GSG9-X	PFI 2301706 01 86	No	-	05/2028
203110	Ranger GSG9-S 2.0	PFI 2507183 01 86	No	HAIX CO®	09 /2030
203026	Ranger BGS 2.0	PFI 2600822 01 86	No	HAIX CO®, Winter	02/2031



Article overview orthopedic modifications to HAIX models to comply with the DGUV regulations 112-191/112-991 (BGR 191) and requirements of ÖNORM Z 1259-2012 and the applicable requirements of Annex A of EN ISO 20345/20347:2022 for Typ 1 and Typ 2

Maximum height increase of the outsole and inlay sole by 25 mm each

Status: 29.06.2026

Art.-No.		Article	Certificate Registration-No.	Outsole Heightening	Certified Inlay Sole Systems	Validity
	203027	Ranger BGS 2.0 Ws	PFI 2600822 01 86	No	HAIX CO®, Winter	02/2031
	206274	Combat GTX black	PFI 2506746 01 86	No	HAIX CO®, Winter	09/2030
	108024	Tactix GTX	PFI 2506746 01 86	No	HAIX CO®, Winter	09/2030
	100501	Airpower C1	AUVA 2026-6619	No	HAIX CO®	02/2031
	100502	Airpower C1 Lady	AUVA 2026-6620	No	HAIX CO®	02/2031
	100302	Airpower C7	AUVA 2026-6620	No	HAIX CO®	02/2031
	100603	Office 2.0 LL	PFI 2501053 01 86	No	HAIX CO®	03/2030
	100604	Office 2.0 LL Ws	PFI 2501053 01 86	No	HAIX CO®	03/2030
	100601	Office 2.0 GTX	PFI 2501056 01 86	No	HAIX CO®	03/2030
	100602	Office 2.0 GTX Ws	PFI 2501056 01 86	No	HAIX CO®	03/2030
	100004	Office Leder	PFI 2402809 01 86	No	HAIX CO®	09/2029
OUTDOOR	206302	Scout	AUVA 2024-6502	No	HAIX CO®, 3-Width (extra)	01/2030
	206319	Scout 2.0 brown	AUVA 2024-6502	No	HAIX CO®	01/2030
	206318	Scout 2.0 brown Ws	AUVA 2024-6502	No	HAIX CO®	01/2030
	206328	Scout 3.0 GTX brown	AUVA 2024-6502	No	HAIX CO®	01/2030
	340017	Black Eagle Nature GTX low	AUVA 2024-6495	No	HAIX CO®	11/2029
	340018	Black Eagle Nature GTX low Ws	AUVA 2025-6495	No	HAIX CO®	11/2029
	340016	Black Eagle Nature GTX mid	AUVA 2025-6495	No	HAIX CO®	11/2029
	340026	Black Eagle Nature GTX mid Ws	AUVA 2025-6495	No	HAIX CO®	11/2029
	206315	Nature One GTX	PFI 2407676 01 86	No	HAIX CO®, Winter	11/2029
	206317	Nature One GTX Ws	PFI 2407676 01 86	No	HAIX CO®, Winter	11/2029
Outdoor – All non-certified models of the Black Eagle Adventure, Connexis Air, Connexis Force-Air, and Connexis Go series, as well as the Scout 3.0 GTX and Xventure GTX models, are compatible with the HAIX® CO System. No additional certification is required.						